DISCUSSION

 f_{\perp} 🗸 t . t . f t 🗸 f ; _ _t l \sim $\mathbf{\nabla}$ \tilde{f} f ,,t t f : ί., \sim \sim ... vv v v , M. S. Pole , t : et al. (2008)1 1 î ^ ţ \sim t 🗸 1 ູ້ 1 1 ້ f 1 ູ t ί., ft t <u>_1</u> 1 l t 🗸 l \sim v (1979), t 🗸 $_{v}t$ 1 1 1 1 \check{f} _v(1994) 1 f 1 ~~ ۱, 1 1 1 (f, Nothofagus t . 1 1 1 t 11, \sim ١ı ί. , 1986; & , 1982: , 1986; (". ι 1990). \mathbf{B}_{\sim} t t ~ f f t 1 t V v Ŵ ,2005; **,**2005), . ι , 2006). ٦, ί. (" . \sim et al. (2008) ,t t t , t t ſ f V ι $\sqrt{1}$ v(v-<u>_</u>11 t 1 ,1 *、*), $\downarrow 1 f$ 1 ft 1 1 ί. u 1 1 🗸 f t f ι 11 . 1 , ţ f ft 🗸 1 et al. (2008) (1996) & v1 11 . J. f


<u>_1</u> ĻΊ t 1 . 1 \mathbf{v} ...1 $\overline{\mathbf{v}}$ 1 11 ς. t 🗸 t 1 ~ 1, ιf l t 🗸 ٦, t <u>1</u> 1 1 t t . 1 et al. (2008) <u>__</u>1 ,' v , t 1 V v (1994) f Y 1,1 \sim _t _ t _ ۱, (1994) ٦, ι \sim 👡 Libocedrus, 1 <u>_</u>1 _ 1 1 f ι t ્રા , , , **1** 1 ۰, t 1. t \sim

et al. 2008,1 f1184), 11 🖌 $f_{1, \dots, n}$ (1,1 1 🦵 11 t \sim \sim ~ / Ļ 1 \sim \sim • ! \sim (1960) f C t t ι ι \sim ς. f t 🗸 1 11 J B.t f f_1 1 \sim \sim t. ,, t 'l 1. 1. ...1 ft (1953, 1960) C 1 🗸 Ļ , t

 \sim

t,

 \sim



ί.

1. 0 toto 0 or 0 of 1 or or 0 or 0 of 1 or 0 or 0 or 0 of 1. A f f t $\sqrt{4}$ or $\sqrt{4$

v v **Y** $\mathbf{t} \qquad \mathbf{v} \mathbf{t} \mathbf{t} \mathbf{t} \mathbf{t} \mathbf{t} \mathbf{v} \mathbf{v} \mathbf{t} \mathbf{v} \mathbf{v} \mathbf{t} \mathbf{v} \mathbf{f} \mathbf{t}$ t

- (early Miocene), Otaio River, South Canterbury, New (carry model), on the line, sound canderbary, new Zealand. \bigcirc \bigcirc t A 55, 24 ... \bigcirc A , ... 1989. t \bigcirc \bigcirc t t f \bigcirc ... Journal